

Matt Pitts

Saving Lowland England's Juniper







juniper carpet moth




silver-spotted-skipper




Juniper shield bug

Juniper - UK Distribution

	GB	IR
2000–19	● 955	● 135
1987–99	● 796	● 105
1970–86	● 572	● 29
1930–69	● 757	● 80
pre-1930	○ 378	○ 48



Juniper – Southern England Distribution






DIG ON FOR VICTORY










Juniper Loss in Southern England Since the 1960's



Juniper Decline




Juniper Decline



Juniper Decline




Disease
Phytophthora austrocedri



Juniper Pilot Project - 2009



Juniper Trial Locations



















688 juniper bushes
10 years later





-  North Wessex Downs AONB
-  Juniper Restoration Work
-  BSBI Juniper Records











07795 144865

RD
CONTRACTING
www.rdc.co.uk

DX140LC
SERIES V

912

RD
CONTRACTING
07795 144865























Swiper Seeds . 2021

5ml = 200 seeds 1 tsp.

1g = 100 seeds approx.

30g per scrape.



An aerial photograph of a terraced landscape. The terrain is green and hilly, with a prominent white path or road winding through the terraces. A fence line runs across the lower part of the image. The overall scene depicts a well-maintained, terraced agricultural or natural landscape.

“physically destructive processes created a landscape characterised by habitat heterogeneity at a range of scales, *which provided suitable niches for a diversity of species*” (Dolman *et al.*, 2017)



The global voice for
wild plants and fungi

Matt Pitts

matt.pitts@plantlife.org.uk
